





- **Smart Accessories for Everyday Life**

Founded in 2007 and headquartered in Hong Kong, SBOX TECHNOLOGY LTD. is led by a team of experienced European professionals. Our R&D and design center in Europe ensures that we deliver innovative, high-quality, and stylish tech accessories for modern users worldwide.

- **Global Manufacturing. Local Expertise.**

SBOX collaborates with a trusted network of premium manufacturers in China, producing high-performance solutions in: Information Technology and Audio-Visual Systems.

This global presence ensures consistent performance, fast delivery, and full control over quality and design.

- **Our Product Range**

From home entertainment to office essentials, SBOX offers a wide array of user-focused, high-performance accessories: TV, monitor & projector mounts and stands (wall, floor, ceiling & desktop), Projector screens, Laptop bags & backpacks, Cables, adapters & connectors, Screen cleaners & TV remote controls, Up/Down desks, PC Peripherals: mice, keyboards, headsets, speakers, hubs, earphones, Laptop cooling pads, chargers & adapters. Each product is designed to streamline your workflow, enhance your entertainment, and simplify your tech life.

- **Design Meets Function**

At SBOX, we believe great design is essential. Our products are developed with a focus on: Minimalist, modern aesthetics, Durable, premium-grade materials, Effortless usability and comfort. The result? Accessories that not only perform flawlessly but also seamlessly fit your lifestyle.

- **Supporting Our Partners**

We go beyond product delivery by offering comprehensive support to our partners: Responsive sales and after-sales service, Dedicated technical support, Custom marketing and promotional resources. Whether you're a distributor, reseller, or retail partner, we're here to help you grow.

- **Our Commitment**

At SBOX, we're not just delivering tech - We're building lasting, transparent partnerships based on trust, performance, and shared success.

SBOX TECHNOLOGY LTD.
FLAT 906, 9/F., WORKINGPORT COMM.
BLDG., 3 HAU FOOK ST. TSIM SHA TSUI,
KOWLOON, HONG KONG

Contact: info@sbox.biz
Web: www.sbox.biz

TABLE OF CONTENT:

3 Wall Mounts

14 Ceiling Mounts

15 Desktop Mounts

19 Speaker Mounts

20 Floor Stands

24 Tables

29 Projector Mounts,
Screens, POS stands

34 Remote Controls

36 Notebook Bags

41 Cleaners

Computer Accessories 43

Mice 44

Mouse pads 47

Keyboards 50

Cooling Pads 51

Speakers 53

Headsets / Earphones 54

Microphones 56


USB Accessories 57

Power Adapters 50

USB Chargers
& Holders 64

HDMI Splitters 68

Cables, Adapters
& Connectors 70




MOUNTS

Smart design. Full comfort. SBOX wall mounts fit any screen size, support all VESA standards, and offer tilt, swivel & extend functions.

Easy install. Maximum control.



LCD-221-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 13" - 43" / 33 cm - 109 cm
 Rated Load: 20 kg / 44 lb
 VESA: 75x75, 100x100, 200x100, 200x200
 Tilt: +5° to -12°
 Swivel: +60° to -60°
 Screen rotation: +5° to -90°
 Distance from the wall: 66 mm - 198 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 198 x 227 x 227
 Installation: Solid wall, Single stud




LCD-441-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 23"-65" / 58 cm - 168 cm
 Rated Load: 30 kg / 66 lb
 VESA: 100x100, 100x200, 200x100, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400
 Tilt: +5° to -10°
 Swivel: +90° to -90°
 Distance from the wall: 55 mm to 207 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 207 x 434 x 434
 Installation: Solid wall, Single stud
 Cable Management





LCD-421 FULL MOTION WALL MOUNT

Suggested Screen Size: 23"-43" / 58 cm - 109 cm
 Rated Load: 30 kg / 66 lb
 VESA: 100x100, 100x200, 200x100, 200x200
 Tilt: +5° to -10°
 Swivel: +90° to -90°
 Distance from the wall: 50 mm to 202 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 202 x 230 x 230
 Installation: Solid wall, Single stud
 Cable Management




LCD-223-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 13" - 43" / 33 cm - 109 cm
 Rated Load: 20 kg / 44 lb
 VESA: 75x75, 100x100, 100x200, 200x100, 200x200
 Tilt: +5° to -15°
 Swivel: +90° to -90°
 Screen rotation: +5° to -90°
 Distance from the wall: 66 mm - 370 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 370 x 227 x 227
 Installation: Solid wall, Single stud
 Cable Management





LCD-443-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 23" - 65" / 58 cm - 165 cm
 Rated Load: 30 kg / 66 lb
 VESA: 100x100, 100x200, 200x100, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400
 Tilt: +5° to -10°
 Swivel: +90° to -90°
 Distance from the wall: 60 mm to 397 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 397 x 434 x 434
 Installation: Solid wall, Single stud
 Cable Management




LCD-423 FULL MOTION WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 30 kg / 66 lb
 VESA: 100x100, 100x200, 200x100, 200x200
 Tilt: +5° to -10°
 Swivel: +90° to -90°
 Distance from the wall: 55 mm to 392 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 392 x 230 x 230
 Installation: Solid wall, Single stud
 Cable Management



PLB-2222F-2 FIXED WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 50x50, 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200
 Distance from the wall: 20 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 20 x 265 x 220
 Installation: Solid wall



FIXED


23" - 43"
 58 - 109 cm




45 kg


VESA
 200x200


ULTRA SLIM
 20 mm from wall

PLB-2522F-2 FIXED WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200
 Distance from the wall: 27 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 240 x 223 x 27
 Installation: Solid wall



FIXED




23" - 43"
 58 - 109 cm


45 kg


VESA
 200x200

PLB-2544F-2 FIXED WALL MOUNT

Suggested Screen Size: 32" - 70" / 81 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200,
 300x200, 400x200, 300x300, 400x300,
 400x400
 Distance from the wall: 27 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 435 x 420 x 27
 Installation: Solid wall, Double stud



FIXED




32" - 70"
 81 - 178 cm


45 kg


VESA
 400x400

PLB-2264F-2 FIXED WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm
 Rated Load: 45 kg / 99 lb
 VESA: 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400
 Distance from the wall: 20 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 20 x 650 x 418
 Installation: Solid wall, Double stud



FIXED


37" - 80"
 94 - 203 cm



45 kg


VESA
 600x400


ULTRA SLIM
 20 mm from wall

PLB-3422T-2 TILTING WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 50x50, 75x75, 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200
 Tilt: 0° to -8°
 Distance from the wall: 20 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 20 x 265 x 220
 Installation: Solid wall



TILT



23" - 43"
 58 - 109 cm


45 kg


VESA
 200x200

PLB-2544T-2 TILTING WALL MOUNT

Suggested Screen Size: 32" - 70" / 81 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400
 Tilt: +12° to -12°
 Distance from the wall: 53 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 53 x 435 x 420
 Installation: Solid wall, Double stud



TILT


32" - 70"
 81 - 178 cm


45 kg


VESA
 400x400

PLB-2546T-2 TILTING WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm

Rated Load: 45 kg / 99 lb

VESA: 200x200, 300x200, 400x200, 300x300,
400x300, 400x400, 600x400

Tilt: +12° to -12°

Distance from the wall: 53 mm



Material: Steel, Plastic

Surface Finish: Powder coating

Color: Black

Product Size (mm): 53 x 635 x 420

Installation: Solid wall, Double stud



37" - 80"
94 - 203 cm



45 kg



VESA
600x400

PLB-3446T-2 TILTING WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm

Rated Load: 45 kg / 99 lb

VESA: 200x200, 300x200, 400x200, 300x300,
400x300, 400x400, 600x400

Tilt: 0° to -8°

Distance from the wall: 20 mm



Material: Steel, Plastic

Surface Finish: Powder coating

Color: Black

Product Size (mm): 20 x 650 x 418

Installation: Solid wall, Double stud



37" - 80"
94 - 203 cm



45 kg



VESA
600x400



ULTRA SLIM
20 mm from wall

PLB-4269T-2 TILTING WALL MOUNT

Suggested Screen Size: 43" - 100" / 109 cm - 254 cm

Rated Load: 75 kg / 165 lb

VESA: 200x200, 300x200, 400x200, 300x300,
400x300, 400x400, 600x400, 600x600,
800x600, 900x600

Tilt: +5° to -10°

Distance from the wall: 85 mm


Material: Steel

Surface Finish: Powder coating

Color: Black

Product Size (mm): 938 x 625 x 85

Installation: Solid wall, Double stud



43" - 100"
109 - 254 cm



75 kg



VESA
900x600

PLB-5948T-2 TILTING WALL MOUNT

Suggested Screen Size: 43" - 95" / 109 cm - 241 cm

Rated Load: 75 kg / 165 lb

VESA: 200x200, 300x200, 300x300, 400x200,
400x300, 400x400, 600x400, 800x400

Tilt: 0° to -8°

Distance from the wall: 42 mm



Material: Steel

Surface Finish: Powder coating

Color: Black

Product Size (mm): 886 x 426 x 42

Installation: Solid wall, Double stud



43" - 95"
109 - 241 cm



75 kg



VESA
800x400

PLB-3644-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 32" - 55" / 81 cm - 140 cm

Rated Load: 35 kg / 77 lb

VESA: 100x100, 100x150, 150x100, 100x200,
200x100, 150x150, 200x200, 300x200,
400x200, 300x300, 400x300, 400x400

Tilt: +3° to -15°

Swivel: +90° to -90°

Level Adjustment: +3° to -3°

Distance from the wall: 63 mm - 358 mm

Material: Steel, Plastic


Surface Finish: Powder coating

Color: Black

Product Size (mm): 358 x 440 x 420

Installation: Solid wall, Double stud

Cable Management



32" - 55"
81 - 140 cm



35 kg



VESA
400x400

PLB-3646-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm

Rated Load: 40 kg / 88 lb

VESA: 100x100, 100x150, 150x100, 100x200,
200x100, 150x150, 200x200, 300x200,
400x200, 300x300, 400x300, 600x200,
400x400, 600x300, 600x400

Tilt: +3° to -15°

Swivel: +60° to -60°

Level Adjustment: +3° to -3°

Distance from the wall: 67 mm - 355 mm

Material: Steel, Plastic


Surface Finish: Powder coating

Color: Black

Product Size (mm): 355 x 640 x 420

Installation: Solid wall, Double stud

Cable Management



37" - 80"
94 - 203 cm




40 kg



VESA
600x400

PLB-4986 FULL MOTION WALL MOUNT

Suggested Screen Size: 43" - 90" / 109 cm - 229 cm
 Rated Load: 80 kg / 176 lb
 VESA: 200x200, 300x200, 300x300, 400x200,
 400x300, 400x400, 600x400, 800x400
 Tilt: 5° to -15°
 Swivel: +60° to -60°
 Level Adjustment: +3° to -3°
 Distance from the wall: 69 mm - 1044 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 1044 x 885 x 430
 Installation: Solid wall, Double stud



**FULL
MOTION**



43" - 90"
 109 - 229 cm


80 kg


VESA
 800x400

PLB-1348-2 CORNER FULL MOTION WALL MOUNT

Suggested Screen Size: 32" - 70" / 81 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200,
 400x200, 300x200, 300x300, 400x300,
 400x400, 600x400
 Tilt: +5° to -15°
 Swivel: +45° to -45°
 Level Adjustment: +3° to -3°
 Distance from the wall: 622 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 655 x 420 x 622
 Installation: Solid wall, Double stud



**FULL
MOTION**


32" - 70"
 81 - 178 cm



45 kg


VESA
 600x400


CORNER

LVW02-46F VIDEO WALL MOUNT

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 200x200, 400x200, 300x300, 400x400, 600x400
 Level Adjustment: +3° to -3°
 Distance from the wall: 56 mm - 215 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 760 x 465 x 215
 Installation: Solid wall
 Safety: Security key lock against theft
 (Key lock not included)





FIXED


37" - 70"
 94 - 178 cm




45 kg


VESA
 600x400




LOCK



LOCK



LOCK



VESA
600x400

PLB-7486 FULL MOTION WALL MOUNT

Suggested Screen Size: 43" - 100" / 109 cm - 254 cm

Rated Load: 120 kg / 264 lb

VESA: 200x200, 300x200, 400x200,
300x300, 400x300, 400x400,
600x400, 800x400

Tilt: +5° to -15°

Swivel: +60° to -60°

Level Adjustment: +5° to -5°

Distance from the wall: 75 mm - 703 mm

Material: Steel


Surface Finish: Powder coating

Color: Black

Product Size (mm): 730 x 910 x 430

Installation: Solid wall, Double stud

Cable Management



43" - 100"
109 - 254 cm



120 kg



VESA
800x400

PLB-3769 FULL MOTION WALL MOUNT

Suggested Screen Size: 60" - 100" / 152 cm - 254 cm

Rated Load: 80 kg / 176 lb

VESA: 200x200, 400x200, 300x300, 400x400,
600x400, 800x400, 800x600, 900x600

Tilt: +5° to -15°

Swivel: +45° to -45°

Level Adjustment: +3° to -3°

Distance from the wall: 70 mm - 625 mm

Material: Steel, Aluminum, Plastic


Surface Finish: Powder coating

Color: Black

Product Size (mm): 625 x 1050 x 630

Installation: Solid wall, Double stud

Cable Management



60" - 100"
152 - 254 cm



80 kg



VESA
900x600

PLB-8148 FULL MOTION WALL MOUNT

Suggested Screen Size: 43" - 100" / 109 cm - 254 cm

Rated Load: 60 kg / 132 lb

VESA: 200x200, 300x200, 400x200, 300x300,
400x300, 400x400, 600x400, 800x400

Tilt: +5° to -10°

Swivel: +60° to -60°

Level Adjustment: +3° to -3°

Distance from the wall: 65 mm - 480 mm

Material: Steel, Plastic


Surface Finish: Powder coating

Color: Black

Product Size (mm): 480 x 906 x 403

Installation: Solid wall, Double stud

Cable Management



43" - 100"
109 - 254 cm



60 kg



VESA
800x400

WALL MOUNTS



PLB-79464 FULL MOTION WALL MOUNT

Suggested Screen Size: 43" - 90" / 109 cm - 229 cm

Rated Load: 50 kg / 110 lb

VESA: 200x200, 200x300, 300x200, 200x400,
400x200, 300x300, 300x400, 400x300,
600x200, 400x400, 600x300, 600x400

Tilt: +3° to -15°

Swivel: +30° to -30°

Level Adjustment: +3° to -3°

Distance from the wall: 19.5 mm - 250 mm

Material: Steel, Plastic



Surface Finish: Powder coating

Color: Black

Product Size (mm): 250 x 632 x 432

Installation: Solid wall, Double stud

Cable Management



**FULL
MOTION**


43" - 90"
109 - 229 cm


50 kg


VESA
600x400




ULTRA SLIM
19.5 mm from wall



WALL MOUNTS

BL-3722F FIXED WALL MOUNT

Suggested Screen Size: 13" - 43" / 33 cm - 109 cm
Rated Load: 45 kg / 99 lb
VESA: 50x50, 75x75, 100x100, 100x150, 150x100,
100x200, 200x100, 150x150, 200x200
Distance from the wall: 22 mm
Material: Steel
Surface Finish: Powder coating
Color: Black
Product Size (mm): 245 x 220 x 22
Installation: Solid wall, Double stud



FIXED

13" - 43"
33 - 109 cm


45 kg

VESA
200x200

ULTRA SLIM
19.5 mm from wall

BL-3744F FIXED WALL MOUNT

Suggested Screen Size: 32" - 75" / 81 cm - 191 cm
Rated Load: 45 kg / 99 lb
VESA: 200x200, 200x300, 300x200, 200x400,
400x200, 300x300, 300x400, 400x300,
400x400
Distance from the wall: 22 mm
Material: Steel
Surface Finish: Powder coating
Color: Black
Product Size (mm): 445 x 420 x 22
Installation: Solid wall, Double stud



FIXED

32" - 75"
81 - 191 cm


45 kg

VESA
400x400

ULTRA SLIM
22 mm from wall

BL-3869F FIXED WALL MOUNT

Screen size: 50" - 100" / 127 - 254 cm TV
Weight capacity: 75 kg / 165 lb
VESA: 50x50, 75x75, 100x100, 100x150, 150x100, 100x200,
200x100, 150x150, 200x200, 200x300, 300x200, 200x400,
400x200, 300x300, 300x400, 400x300, 600x200, 500x300,
400x400, 600x300, 500x400, 400x600, 600x400, 700x400,
800x400, 600x600, 800x500, 800x600, 900x600
Profile: 30 mm
Material: Steel
Surface Finish: Powder coating
Product Size (mm): 938 x 625 x 25
Installation: Solid wall, Double stud



FIXED

50" - 100"
127 - 254 cm


75 kg

VESA
900x600

ULTRA SLIM
30 mm from wall


CPLB-28S FULL MOTION CEILING MOUNT

Suggested Screen Size:
23" - 43" / 58 cm - 109 cm
Rated Load: 30 kg / 66 lb
VESA: 75x75, 100x100,
200x100, 200x200
Adjustable height:
608 mm - 858 mm
Tilt: +20° to -20°
Rotation: +90° to -90°
Surface Finish:
Powder coating
Material: Steel
Color: Black
Product Size (mm):
138 x 160 x 968
Installation: Ceiling
Cable management



CPLB-9441 FULL MOTION MOUNT FOR SLOPED CEILINGS

Suggested Screen Size:
32" - 70" / 81 cm - 178 cm
Rated Load: 50 kg / 110 lb
VESA: 100x100, 100x200, 200x100,
200x200, 300x200, 400x200,
300x300, 400x300, 400x400
Adjustable height: 707 mm - 1577 mm
Tilt: 5° to -25°
Rotation: 30° to -30°
Surface Finish: Powder coating
Material: Steel, Plastic
Color: Black
Product Size (mm): 1792 x 450 x 185
Installation: Ceiling / Sloped ceiling
(+60° to -60° angle)
Cable management



**FULL
MOTION**



23"- 43"
58 - 109 cm



30 kg



VESA
200x200

**FULL
MOTION**



32"- 70"
94 - 203 cm



50 kg




VESA
400x400



**SLOPE
CEILINGS**

CPLB-M0748 MOTORISED FULL MOTION CEILING MOUNT

Fit Screen Size: 43"-86"
Weight Capacity: 45 kg / 99 lb
Max. Mounting Hole: 800x400
Tilt Range: 0°~80°
Screen Level: +2°~-2°
Profile: 130 mm
Material: Steel, Plastic, Aluminum
Surface Finish: Powder Coating
Color: Matte Black
Dimensions: 771 x 864 x 496 mm
Cable Management: Yes
Power Supply:
Input: AC 100~240V, 50/60Hz;
Output: DC 29V, 1A
Power Cord Length: 1.8 m
Controller Type: Application Control,
Radio Frequency (RF) Remote
Installation: Ceiling / Sloped ceiling



**FULL
MOTION**



43"- 86"
109 - 218 cm



45 kg



VESA
800x400




**SLOPE
CEILINGS**



EL. MOTOR



LCD-351/1-3 FULL MOTION DESK MOUNT

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 10 kg / 22 lb
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Portrait to Landscape orientation
 Height: 408 mm (Max)
 Arm extension: 202 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 114 x 308 x 548
 Cable management




LCD-352/2-3 FULL MOTION DESK MOUNT

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 x 10 kg / 2 x 22 lb
 (20 kg / 44.1 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Portrait to Landscape orientation
 Height: 408 mm (Max)
 Arm extension: 376 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 2
 Product Size (mm): 866 x 106 x 548
 Cable management





LCD-352/3-2 FULL MOTION DESK MOUNT

Suggested Screen Size: 17" - 27" / 43 cm - 69 cm
 Rated Load: 3 x 7 kg / 3 x 15.4 lb (21 kg / 46.3 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Portrait to Landscape orientation
 Height: 407 mm (Max)
 Arm extension: 658 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Screen Qty: 3
 Product Size (mm): 1433 x 550 x 141
 Cable management



LCD-352/4-3 FULL MOTION DESK MOUNT

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 4 x 10 kg / 4 x 22 lb (36 kg / 88 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Arm extension: 376 mm
 Height: 803 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 4
 Product Size (mm): 866 x 106 x 838
 Cable management



**FULL
MOTION**




17" - 32"
 43 - 81 cm


4x10 kg


VESA
 100x100

LCD-352/6-2 FULL MOTION DESK MOUNT

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 6 x 7 kg / 6 x 15.4 lb (42 kg / 92.6 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +15° to -15°
 Rotation: +180° to -180°
 Arm extension: 756 mm
 Height: 860 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic, Aluminum
 Color: Black
 Screen Qty: 6
 Product Size (mm): 1626 x 200 x 990
 Cable management



**FULL
MOTION**




17" - 32"
 43 - 81 cm


6x7 kg


VESA
 100x100

LCD-LM01-2 DESK MOUNT FOR MONITOR AND LAPTOP OR KEYBOARD

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 13 kg / 28.6 lb
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90 to -90°
 Rotation: +180 to -180°
 Surface Finish: Powder coating
 Material: Steel
 Color: Black
 Product Size (mm): 959 x 319 x 561
 Cable management
 Detachable laptop / keyboard panel
 Installation: Clamp + Grommet



**FULL
MOTION**



17" - 32"
 43 - 81 cm


13 kg


VESA
 100x100



LCD-S012-3 GAS SPRING DESKTOP MOUNT FOR 1 MONITOR

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 - 9 kg / 4.4 - 19.8 lb (Adjustable)
 VESA: 75x75, 100x100
 Tilt: 90° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 451 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 117 x 487 x 559
 Cable management
 Installation: Clamp + Grommet




LCD-S024-3 GAS SPRING DESKTOP MOUNT FOR 2 MONITORS

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 x 2 - 9 kg / 2 x 4.4 - 19.8 lb (Adjustable)
 (4 -18 kg / 8.8 - 39.6 lb Total)
 VESA: 75x75, 100x100
 Tilt: 90° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 451 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 2
 Product Size (mm): 950 x 105 x 565
 Cable management
 Installation: Clamp + Grommet




LCD-C49 GAS SPRING DESKTOP MOUNT FOR 1 XL MONITOR

Suggested Screen Size: 17" - 49" / 43 cm - 124 cm
 Rated Load: 2 - 20 kg / 4.4 - 44 lb (Adjustable)
 VESA: 75x75, 100x100
 Tilt: 50° to -20°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 545 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 134 x 625 x 663
 Cable management
 Installation: Clamp + Grommet



LCD-F012-3 FREESTANDING MOUNT FOR 1 MONITOR

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 10 kg / 22 lb
 VESA: 75x75, 100x100
 Tilt: 45° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 335 x 270 x 454
 Cable management



**FULL
MOTION**



17" - 32"
 43 - 81 cm


10 kg


VESA
 100x100

LCD-F024-3 FREESTANDING MOUNT FOR 2 MONITORS

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 x 10 kg / 2 x 22 lb (18 kg / 44 lb Total)
 VESA: 75x75, 100x100
 Tilt: 45° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 376 mm
 Height: 418 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 2
 Product Size (mm): 866 x 270 x 454
 Cable management



**FULL
MOTION**


17" - 32"
 43 - 81 cm


2x10 kg


VESA
 100x100

VESA-V2 ADAPTER

Vesa adapter allows you to mount screens with bigger VESA standard on VESA 100x100 or VESA 200x200 stands.

Fit Screen Size: 32" - 55" / 81 cm - 140 cm

Rated Load: 30 kg / 66 lb


VESA: 75x75, 100x100

Material: Steel

Surface Finish: Powder Coating

Color: Black

Dimensions (mm): 165 x 24




32" - 55"
81 - 140 cm


30 kg


VESA
100x100

NON-VESA ADAPTER

Multiple configuration options make it easy to mount NON VESA monitors on Desktop mounts.

Supports most LCD Monitors between 13" and 27" (33 cm - 69 cm)

Weight capacity: up to 8 kg.

The package contains all the hardware for mounting the adapter to your monitor.




13" - 27"
33 - 69 cm


8 kg

SPEAKER MOUNTS

SB-76M SPEAKER FLOOR STAND

Product Category: Speaker Floor Stand

Material: Tempered Glass, Steel, Plastic

Glass Thickness (Top-Bottom): 8 mm

Surface Finish: Powder Coating

Color: Fine Texture Black

Dimensions: 300 x 300 x 610 mm x2

Weight Capacity: 25 kg / 55 lb

Installation: Freestanding

Cable Management: Yes




25 kg

SB-76L SPEAKER FLOOR STAND

Product Category: Speaker Floor Stand

Material: Tempered Glass, Steel, Plastic

Glass Thickness (Top-Bottom): 8 mm

Surface Finish: Powder Coating

Color: Fine Texture Black

Dimensions: 300 x 300 x 765 mm x2

Weight Capacity: 25 kg / 55 lb

Installation: Freestanding

Cable Management: Yes




25 kg

FLOOR STANDS



FS-306 FLOOR LED TV STAND

Suggested Screen Size: 37" - 75" / 94 cm - 191 cm

VESA: 75x75, 100x100, 100x150,
150x100, 100x200, 200x100,
150x150, 200x200, 300x200,
400x200, 300x300, 400x300,
400x400, 600x400

Rated Load (Screen): 40 kg / 88 lb

Swivel: +35° ~ -35°

Adjustable TV Height (mm):

361 / 418 / 436 / 475 / 493 / 550

Screen Qty: 1


Material: Steel, Tempered Glass 8 mm, Plastic

Color: Black

Dimension (mm): 420 x 280 x 755

Cable management: Yes

User Manual: Yes



FS-1246 FLOOR TRIPOD LED TV STAND

Suggested Screen Size: 45" - 65" / 114 cm - 178 cm

Rated Load: 32 kg / 70.4 lb


VESA: 200x200, 300x200, 400x200, 300x300,
400x300, 400x400, 600x400

Rotation: +180° to -180°

Material: Steel, Aluminum, Plastic, Beech

Color: Matte Black & Walnut

Tripod stand



FST-846 FLOOR TRIPOD LED TV STAND

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm

Rated Load: 35 kg / 77 lb

VESA: 200x200, 300x300, 400x200,
400x400, 600x400


Tilt: 0° to -8°

Material: Steel, Plastic

Color: Black


Adjustable height: 1240 mm - 1880 mm

Tripod stand




FS-622 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 13"-50" / 33 cm - 127 cm
 VESA: 75x75, 100x100, 100x200, 200x100, 200x200
 Rated Load (Screen): 20 kg / 44 lb
 Height Range (mm): 1080 / 1120 / 1240 / 1280
 Tilt: +0° ~ -30°
 Screen rotation: +90° ~ -90°
 Material: Steel, Plastic
 Color: Matt Black
 Column Size: 48 mm
 Dimension (mm): 613 x 417 x 1392
 Screen Qty: 1
 Cable management: Yes
 Wheels: Yes
 User Manual: Yes




FS-224-2 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 32" - 55" / 81 cm - 140 cm
 Rated Load: 35 kg / 77 lb
 VESA: 100x100, 200x100, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400
 Tilt: +5° to -12°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Adjustable height:
 1030 mm / 1110 mm / 1190 mm / 1270 mm /
 1350 mm / 1430 mm
 Product Size (mm): 720 x 607 x 1643
 DVD / AV Components Rack
 DVD / AV Rated Load: 5 kg / 11 lb
 Cable management
 Built-in Wheels




FS-400-2 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 100x100, 200x100, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400
 Tilt: +12° to -12°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Adjustable height:
 1337 mm / 1391 mm / 1395 / 1445 mm
 Product Size (mm): 907 x 626 x 1654
 DVD / AV Components Rack
 DVD / AV Rated Load: 5 kg / 11 lb
 Cable management
 Built-in Wheels



FS-403 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 55"-100" / 140 cm - 254 cm
 VESA: 100x100, 200x200, 300x200, 400x200,
 300x300, 400x300, 400x400, 600x400,
 600x600, 800x600
 Rated Load (Screen): 70 kg / 154 lb
 Tilt: +5° ~ -10°
 Shelf Weight Capacity: 5 kg / 11 lb
 Material: Metal, Plastic
 Color: Black
 Dimension (mm): 808 x 690 x 1740
 Adjustable TV Height: Yes
 DVD Rack: Yes
 Wheels: Yes



55" - 100"
140 - 254 cm




70 kg



VESA
800x600

FS-444 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37"-86" / 94 cm - 218 cm
 Rated Load (Screen): 50 kg / 110 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Tilt: +5° to -10°
 Screen rotation: 0° ~ -90°
 Adjustable height: 1200 mm - 1600 mm
 Material: Aluminum, Steel, Plastic
 Color: Grey / Black
 Dimension (mm): 848 x 610 x 1420/1820
 DVD / AV Components Rack
 Rated Load (DVD): 5 kg / 11 lb
 Cable Management
 Built-in wheels



37" - 86"
94 - 218 cm




50 kg



VESA
600x400

FS-1035 ULTRA-LARGE TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37" - 100" / 94 cm - 254 cm
 Rated Load (Screen): 150 kg / 330 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400, 800x400,
 800x600
 Adjustable height: 1085 mm / 1215 mm / 1345 mm /
 1410 mm / 1475 mm
 Surface Finish: Powder coating
 Material: Steel
 Color: Black
 Product Size (mm): 1050 x 570 x 1785
 DVD / AV Components Rack
 - Rated Load: 20 kg / 44 lb
 Built-in wheels



37" - 100"
152 - 254 cm



150 kg



VESA
800x600

FS-3610 ULTRA-LARGE TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 60" - 100" / 94 cm - 254 cm

Rated Load (Screen): 100 kg / 220 lb

VESA: 200x200, 300x300, 400x200, 400x400,
600x400, 800x400, 800x600, 1000x600

Tilt: +5° to -10°

Adjustable height: 1340 mm - 1660 mm

Surface Finish: Powder coating

Material: Steel, Plastic

Color: Black

Product Size (mm): 1350 x 683 x 2325

DVD / AV Components Rack


- Rated Load: 5 kg / 11 lb

Camera / Projector Rack

- Rated Load: 5 kg / 11 lb

Cable Management

Built-in wheels



60" - 100"
152 - 254 cm

100 kg

VESA
1000x600

DFS-101-2 DISPLAY RACK

Color: Black

Material: Steel

Dimensions (mm): 200 x 80 x 50



FIXED

MD-252R

1 MOTOR UP/DOWN DESK FRAME

Material: aluminum, plastic, steel
 Dimensions: 820~1280 x 600 x 700~1170 mm
 Tabletop size: (1000~1400) x (600~700) mm
 Tabletop thickness: ≥15 mm
 Weight capacity: 80 kg
 Height Range: 700~1170 mm
 Column Size: 70 x 40, 75 x 45
 Frame Color: Matte black or white
 Motor Quantity: 1
 Power Input: 100~240V
 Power Cord Length: 1.8 m
 Max. Speed: 25 mm/s
 Controller Type: button control panel
 Suggested Operating Temperature: -5°C~ 40°C
 IP Grade: IP20



 **80 kg**  **ADJUSTABLE**
HEIGHT




3 Programmable Height Memory Presets

UDM-6

ADJUSTABLE UNDER-DESK MOUNT

Material: Steel
 Color: Matte Black
 Weight Capacity: 10 kg
 Height Range: 300-533 mm
 Depth Range: 88-203 mm
 Swivel Range: +180° ~ -180°



 **10 kg**

TABLES



ACCESSORIES

SIT-STAND MANUAL DESK

All SBOX mounts come in original box package with a pack of screws, anchors and washers labeled with letters, and matching instructions for easy installation. They are adapted for easy and safe installation. Follow the steps in the instruction manual and your TV will be safely installed. In case of any misunderstanding regarding installation please contact us: info@sbox.biz



All SBOX Mounts come in trendy design packaging as shown in the picture below



CC-1016

SCREW-ON CABLE MANAGEMENT SPINE

Material: ABS Plastic, Steel
Surface finish: Powder coating
Dimensions: 99.4 x 99.4 x 1292 mm
Color: Black or White



TP-12060R

TABLETOP - WHITE

Material: Particle Board

Tabletop Size: 1200 x 600 x 18 mm

Color: Black



TP-14070R

TABLETOP - NATURAL WOOD

Material: Particle Board

Tabletop Size: 1400 x 700 x 18 mm

Color: Black



TP-14070R

TABLETOP - BLACK

Material: Particle Board

Tabletop Size: 1400 x 700 x 18 mm

Color: Black



TP-12060R

TABLETOP - NATURAL WOOD

Material: Particle Board

Tabletop Size: 1200 x 600 x 18 mm

Color: Natural wood



TP-18075

TABLETOP - BLACK

Material: Particle Board

Tabletop Size: 1400 x 750 x 18 mm

Color: Black



TP-12060D

TABLETOP WITH DRAWER - BLACK

Material: Particle Board, Steel, Plastic

Tabletop Size: 1200 x 600 x 16 mm

Color: Black



TP-14070D

TABLETOP WITH DRAWER - BLACK

Material: Particle Board, Steel, Plastic

Tabletop Size: 1380 x 680 x 16 mm

Color: Black



TP-14070D

TABLETOP WITH DRAWER - NATURAL WOOD

Material: Particle Board, Steel, Plastic

Tabletop Size: 1380 x 680 x 16 mm

Color: Natural wood




PROJECTOR MOUNTS AND SCREENS

Cinema experience – anywhere. Turn any space into a home theater with SBOX projector mounts and screens. Quick setup. Sharp image. Total immersion.



PM-18 PROJECTOR MOUNT FOR SLOPED CEILINGS

Rated Load: 13.5 kg / 29.7 lb
Tilt: +15° to -15°
Swivel: +15° to -15°
Rotation: 360°
Mounting hole distance: 54 mm - 320 mm
Distance from the ceiling: 150 mm
Surface Finish: Powder coating
Material: Steel
Color: White
Product Size (mm): 334 x 334 x 150
Installation: Ceiling
Cable management



**FULL
MOTION**



KG
13.5 kg

Ø
320 mm
MAX

150 mm

PM-18S PROJECTOR MOUNT FOR SLOPED CEILINGS

Rated Load: 13.5 kg / 29.7 lb
Tilt: +15° to -15°
Swivel: +15° to -15°
Rotation: 360°
Mounting hole distance: 54 mm - 320 mm
Distance from the ceiling: 380 mm - 580 mm
Surface Finish: Powder coating
Material: Steel, Aluminum, Plastic
Color: White
Product Size (mm): 334 x 580 x 334
Installation: Ceiling
Cable management



**FULL
MOTION**


KG
13.5 kg

Ø
320 mm
MAX

**380 - 580
mm**

PM-18M PROJECTOR CEILING MOUNT

Rated Load: 20 kg / 44 lb
Tilt: +15° to -15°
Swivel: +10° to -10°
Mounting hole distance: 225 mm - 316 mm
Distance from the ceiling: 430 mm - 650 mm
Surface Finish: Powder coating
Material: Steel
Color: Black
Product Size (mm): 237 x 203 x 650
Installation: Ceiling
Cable management



**FULL
MOTION**

KG
20 kg


Ø
316 mm
MAX

**430 - 650
mm**

PTM-05

UNIVERSAL POS SWIVEL MOUNT


Installable POS Machine: Universal
 Panel Dimensions:
 166 mm x (70 mm - 110 mm)
 Tilt: +45° ~ -45°
 Swivel: +180° ~ -180°
 Profile: 175 mm



PTM-02S

UNIVERSAL MOUNT FOR POS / MONITOR & PRINTER

Screen size: 17" - 32" / 43 - 81 cm screen
 Weight capacity: 9 kg / 19.8 lb
 VESA: 75x75, 100x100
 Tilt: +45° ~ -45°
 Swivel: +90° ~ -90°
 Screen rotation: +180° ~ -180°
 Material: Steel, Aluminum, Plastic
 POS Dimensions (mm): 70-110 x 116
 POS Printer Dimensions (mm): 112-160 x 158



MANUAL PROJECTOR SCREENS

PSM-100-2

Diagonal: 100"/ 254 cm
Viewing size: 180 x 180 cm
Picture formats: 16:9, 4:3, 1:1
Screen thickness: 0.4 mm +/-2%
Black edge - top: 5 cm
Black edge - bottom: 4 cm
Black edge - side: 3 cm
Gain: 1:1
Viewing angle: 160 Degrees
Case color: Matte white
Case material: Steel

PSM-112-2

Diagonal: 112"/ 284 cm
Viewing size: 200 x 200 cm
Picture formats: 16:9, 4:3, 1:1
Screen thickness: 0.4 mm +/-2%
Black edge - top: 5 cm
Black edge - bottom: 4 cm
Black edge - side: 3 cm
Gain: 1:1
Viewing angle: 160 Degrees
Case color: Matte white
Case material: Steel


PSM-118-2

Diagonal: 118"/ 300 cm
Viewing size: 213 x 213 cm
Picture formats: 16:9, 4:3, 1:1
Screen thickness: 0.4 mm +/-2%
Black edge - top: 5 cm
Black edge - bottom: 4 cm
Black edge - side: 3 cm
Gain: 1:1
Viewing angle: 160 Degrees
Case color: Matte white
Case material: Steel

 **100"**
180x180 cm

 **112"**
200x200 cm

 **118"**
213x213 cm



MANUAL

AUTOMATIC PROJECTOR SCREENS WITH A MOTOR


PSA-112-2

Diagonal: 112" / 284 cm
Viewing Size: 200 cm x 200 cm
Picture formats: 16:9, 4:3, 1:1
Top edge: 5 cm
Bottom edge: 4 cm
Side edges: 3 cm
Gain: 1.0
Viewing Angle: 160°
Screen Material: Fiberglass Screen
Screen Color: Matte White
Case material: Steel

 **112"**
200x200 cm

 **ELECTRIC**
MOTOR

 **REMOTE**
CONTROL



AUTOMATIC

MANUAL PROJECTOR SCREENS WITH A TRIPOD STAND

PSMT-96-2

Screen size: 96"/ 244 cm
Viewing Size: 172 cm x 172 cm
Picture formats: 16:9, 4:3, 1:1
Top edge: 5 cm
Bottom edge: 4 cm
Side edges: 3 cm
Gain: 1.0
Viewing Angle: 160°
Screen Material: Fiberglass Screen
Screen Color: Matte White Screen
Case Material: Steel

PSMT-112-2

Screen size: 112"/ 284 cm
Viewing Size: 200 cm x 200 cm
Picture formats: 16:9, 4:3, 1:1
Top edge: 5 cm
Bottom edge: 4 cm
Side edges: 3 cm
Gain: 1.0
Viewing Angle: 160°
Screen Material: Fiberglass Screen
Screen Color: Matte White Screen
Case Material: Steel


PSMT-135-2

Screen size: 135"/ 343 cm
Viewing Size: 240 cm x 240 cm
Picture formats: 16:9, 4:3, 1:1
Top edge: 5 cm
Bottom edge: 4 cm
Side edges: 3 cm
Gain: 1.0
Viewing Angle: 160°
Screen Material: Fiberglass Screen
Screen Color: Matte White Screen
Case Material: Steel

 **96"**
172x172 cm

 **112"**
200x200 cm

 **135"**
240x240 cm



MANUAL
TRIPOD


4:3 FORMAT MANUAL PROJECTOR SCREENS PSM 4:3-100-2 PSM 4:3-120-2

Diagonal: 100"/ 254 cm
Viewing size: 200 x 150 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 5 cm
Black edge - bottom: 4 cm
Black edge - side: 3 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel

Diagonal: 120"/ 305 cm
Viewing size: 240 x 180 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 6 cm
Black edge - bottom: 4 cm
Black edge - side: 4 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel


100"
200x150 cm


120"
240x180 cm



4:3 FORMAT AUTOMATIC PROJECTOR SCREENS WITH A MOTOR PSA 4:3-100-2 PSA 4:3-120-2

Diagonal: 100"/ 254 cm
Viewing size: 200 x 150 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 6 cm
Black edge - bottom: 4 cm
Black edge - side: 4 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel


Diagonal: 120"/ 305 cm
Viewing size: 240 x 180 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 6 cm
Black edge - bottom: 4 cm
Black edge - side: 4 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel


100"
200x150 cm


120"
240x180 cm


**ELECTRIC
MOTOR**


**REMOTE
CONTROL**



REMOTE CONTROLS

Always in control. SBOX remotes are simple, reliable, and work with all major devices. One click and you're in charge.



HISENSE

Product ID: RC-01405
For HISENSE TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



LG

Product ID: RC-01403
For LG TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



PHILIPS

Product ID: RC-01404
For PHILIPS TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



GRUNDIG

Product ID: RC-01407
For GRUNDIG TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



SAMSUNG

Product ID: RC-01401
For SAMSUNG TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



SONY

Product ID: RC-01402
For SONY TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



TCL

Product ID: RC-01406
For TCL TV
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



UNIVERSAL

Product ID: RC-01400
For TV/SAT/DVD/BD
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



AIRCON

Product ID: RC-01408
For Air Conditioner
Receiving distance: ~ 8 m
Power: 2x AAA batteries
(not included)



BAGS & BACKPACKS

Ready for every day. Sleek, lightweight and practical - SBOX bags are made for work, travel, or play. Everything you need, always with you.



HOUSTON NSS-334 TECH BAG

Color: Black
Dimensions (mm): 205 x 145 x 25
Material: 600D Polyester with PVC coating

Practical and compact tech bag for organizing electronic accessories such as cables, chargers, USB drives and other small devices.



NEW YORK NLS-3015 NOTEBOOK BAG

For laptops up to 15.6"
Colors: Black, Navy blue & Bordeaux
Dimensions (mm): 430 x 330 x 60
Material: 600D Nylon

1 main compartment with notebook place with secure strap, inside mesh compartment for accessories, front pocket with Velcro
Notebook safety belt
Shoulder strap belt



HONG KONG NSE-2022 NOTEBOOK BAG

For laptops up to 15.6" or 17.3"
Color: Black
15.6" Dimensions (mm): 425 x 320 x 70
17.3" Dimensions (mm): 460 x 340 x 70
Material: 600D Nylon

One padded zipper compartment
One zipper external compartment
Notebook safety belt
Shoulder strap belt



NOTEBOOK BAGS



WALL STREET NSS-88120 NOTEBOOK BAG

For laptops up to 17.3"

Color: Black

Dimensions (mm): 465 x 375 x 70

Material: 600D Polyester

One padded zipper compartment

One Velcro compartment on the front side

One zipper pocket on the back side

Notebook safety belt

Shoulder strap belt



SHANGHAI NSS-3349 TROLLEY CASE

For laptops up to 17.3"

Color: Black

Dimensions (mm): 430 x 390 x 190

Material: 1680D Polyester

8 separate compartments for organised storage of a laptop, documents, accessories and personal belongings.

Trolley design with a telescopic handle and wheels for easy and comfortable transport



DUBLIN NSS-19395 CARRY-ON CABIN BACKPACK

For laptops up to 15.6"

Colors: Black

Dimensions (mm): 400 x 300 x 100-200

Material: 1680D Polyester + 600D Polyester with PVC coating

4 compartments with secure strap, inside mesh

Lightweight - suitable for most low-cost airlines

Adjustable width from 100 to 200 mm

**Carry-On bag,
Suitable for Cabin Luggage**



DUBAI

NSE-1206 NOTEBOOK BACKPACK

For laptops up to 15.6"

Color: Black

Dimensions (mm): 280 x 430 x 130

Material: Ripstop



15.6"



**WATER
RESISTANT**

HAVANA

NSS-2453 NOTEBOOK BACKPACK

For laptops up to 15.6"

Colors: Black

Dimensions (mm): 315 x 420 x 190

Material: Laminated material
210D Polyester



15.6"



**WATER
RESISTANT**



CASABLANCA

NSS-19160 NOTEBOOK BACKPACK

For laptops up to 15.6"

Colors: Black

Dimensions (mm): 440 x 310 x 100

Material: 900D Polyester

One main compartment with zipper
Laptop pocket and additional compartments
Additional compartment on the back
External USB power bank port



15.6"



**WATER
RESISTANT**



NOTEBOOK BAGS



JAKARTA

NSS-19368B NOTEBOOK BACKPACK

For laptops up to 15.6"

Color: Black

Dimensions (mm): 300 x 450 x 125

Material: 300D Polyester





CLEANERS

Always clean. Always clear. SBOX screen cleaners remove dust and smudges - alcohol-free and safe for all devices. Crystal-clear results, every time.

CS-02 CLEANING SPRAY

Screen cleaner with a microfiber cloth
For TV, LCD, PC, Notebook, Mobile phones, Tablet screens,
Camera and Glasses
Antistatic, Alcohol-free, Bio-degradable, Non-flammable
Cloth Size: 20 cm x 20 cm
Bottle Content: 200 ml



200 ml

CS-5005 CLEANING SPRAY

Screen cleaner with a microfiber cloth
Colors: Violet, Green, Blue & Pink
For TV, LCD, PC, Notebook, Mobile phones,
tablet screens, Camera and Glasses
Antistatic, Alcohol-free, Bio-degradable,
Non-flammable
Cloth Size: Ø15 cm
Bottle Content: 150 ml



150 ml

CS-08 WET CLEANING WIPES

Wet wipes for cleaning TVs, monitors, smartphones, digital cameras, glasses, etc.
Anti-static, Non-alcoholic, Bio-degradable, Non-flammable
Contents: 100 pcs
Flavor: Neutral
Wipe dimensions: 16 cm x 14 cm



100
pcs.

CS-400 COMPRESSED AIR

Compressed air for blowing dust
For keyboards, laptops, printers, etc.
Content: 400 ml



400 ml



COMPUTER ACCESSORIES

Accessories that work for you. From mice and keyboards to speakers and headsets - SBOX enhances your setup for work or play. Simple. Effective. Enjoyable.



M-901

USB MOUSE

Mouse Type: 3D
 Resolution: 1000 DPI
 Interface: USB 2.0
 Hand orientation: Left & Right
 Sensor Type: Optical
 Material: ABS plastic
 Cable length: 150 cm
 Colors: Black, Red, Blue Yellow & White
 Dimensions (mm): 110 x 63 x 38.5
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS




USB
 2.0


OPTICAL
 SENSOR

3
 BUTTONS

1000
 DPI

M-958

USB MOUSE

Mouse Type: 3D
 Resolution: 1000 DPI
 Interface: USB 2.0
 Hand orientation: Left & Right
 Sensor Type: Optical
 Material: ABS plastic
 Cable length: 150 cm
 Colors: Black, Red & Blue
 Dimensions (mm): 114 x 63,8 x 41
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS




USB
 2.0


OPTICAL
 SENSOR

3
 BUTTONS

1000
 DPI

WM-109

WIRELESS MOUSE

3D Wireless optical mouse
 Resolution: 1000 DPI
 Rubber coating finish
 Working distance: 10 meters
 Hand orientation: Left & Right
 Advanced optical engine
 Lifetime: over 3 million clicks
 Dimensions (mm): 103 x 66 x 38 mm
 Battery: 2x 1.5V AAA (Included in package)
 Weight: 57 g
 Color: Red or Blue
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS




WIFI
 2.4 GHz


OPTICAL
 SENSOR

3
 BUTTONS

1000
 DPI

WM-993

WIRELESS MOUSE

6D Wireless optical mouse
 Resolution: 800 / 1200 / 1600 DPI
 Rubber coating finish
 Working distance: 10 meters
 Advanced optical engine
 Lifetime: over 3 million clicks
 Dimensions (mm): 108 x 66 x 38 mm
 Battery: 2x 1.5V AAA (Included in package)
 Color: Black or Pink
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **WIFI**
 2.4 GHz

 **OPTICAL**
 SENSOR

6
 BUTTONS

1600
 DPI

WM-911

WIRELESS MOUSE

Button: 6 buttons
 Operating frequency: 2402 MHz~2480 MHz (16 channels)
 Changeable resolution: 800 / 1200 / 1600 DPI
 Rubber coating finish
 Working distance: 10 meters
 Micro USB Receiver
 Ergonomic design
 Key life: over 3 million times
 Dimensions (mm): 107 x 63.5 x 38.5
 Battery: 1x 1.5V AA (Included in package)
 Colors: Black or Blue
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **WIFI**
 2.4 GHz

 **OPTICAL**
 SENSOR

6
 BUTTONS

1600
 DPI

WM-602

WIRELESS + BT MOUSE

4D Wireless + BT optical mouse
 Resolution: 800 / 1200 / 1600 DPI
 Polling rate: 125 Hz
 Working distance: 10 meters
 Silent L + R switches
 Lifetime: over 2 million clicks
 Colors: Black or White
 Size: 98 x 60 x 38 mm
 Charging cable: 30 cm USB A - C
 Battery: built-in Li 500 mAh
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS
 Weight: 66 g ±5 g



 **WIFI**
 2.4 GHz

 **BLUETOOTH**
 2.4 GHz

 **OPTICAL**
 SENSOR

4
 BUTTONS

1600
 DPI

VM-065W WIRELESS VERTICAL MOUSE

Button: 6 buttons
 Changeable resolution: 800 / 1200 / 1600 DPI
 Working frequency: 2.4 GHz
 Range: 10 m
 Micro USB Receiver
 Ergonomic design
 Rubber coating finish
 Colors: Black
 Key life: over 10 million times
 Dimensions (mm): 120 x 63 x 75
 Battery: 2x 1.5V AAA (Not included)
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



ERGO
LINE

WIFI
2.4 GHz

OPTICAL
SENSOR

6
BUTTONS

1600
DPI



MP-01 GEL MOUSE PAD

Thickness: 3 mm
Designed to work with optical and laser mice
Enables high-precision mouse movement
Ergonomic design
Anti-slippery bottom
Dimensions (mm): 230 x 190 x 20
Colors: Black, Red & Blue
Wrist support for maximum comfort



MP-03 MOUSE PAD

Thickness: 3 mm
High-precision mouse movement
Easy to clean surface
Anti-slippery bottom
Dimensions (mm): 300 x 250 x 3
Colors: Black, Red & Blue



BALAM M MP-04 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 300 x 250 x 2
Color: Multi-color



BALAM XL MP-04 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 700 x 300 x 2
Color: Multi-color



HUARI M MP-05 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 300 x 250 x 2
Color: Multi-color



HUARI XL MP-05 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 700 x 300 x 2
Color: Multi-color



AMARU M MP-06 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 300 x 250 x 2
Color: Multi-color



AMARU XL MP-06 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 700 x 300 x 2
Color: Multi-color



VIRACOCHA M MP-07 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 300 x 250 x 2
Color: Multi-color



VIRACOCHA XL MP-07 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 700 x 300 x 2
Color: Multi-color



XIPE M

MP-08 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 300 x 250 x 2
Color: Multi-color



XIPE XL

MP-08 MOUSE PAD

Designed to work with optical / laser mice
Provides high precision mouse movement
Easy-to-clean surface
Anti-slippery surface
Dimensions (mm): 700 x 300 x 2
Color: Multi-color



K-14

USB KEYBOARD

104/105 keys (Depends on Layout)

Lifespan: over 5 million times

Color: Black

HQ Membrane Key Switch

Operating Voltage: 5 V / 100 mA

Compatible with:

Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS

Dimensions (mm): 440 x 145 x 25

Available keyboard layouts: Croatian, Serbian, Slovenian, Bosnian, Macedonian, Montenegro, US... Or any other on request.




104/105
keys


USB
2.0

WK-26

WIRELESS KEYBOARD

109/110 keys (Depends on Layout)

Transmission mode: 2.4 GHz Wireless

Working distance: 8 m

Lifespan: over 8 million times

Color: Black / Grey

HQ Scissors Key Switch

Operating Voltage: 1.5 V / 3 mA

Power supply: 1x AAA battery

Compatible with:

Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS

Dimensions (mm): 430 x 135 x 25.8

Weight: 450 g

Material: Plastic

Available keyboard layouts: Croatian, Serbian, Slovenian, Bosnian, Macedonian, Montenegro, US... Or any other on request.




WIFI
2.4 GHz


109/110
keys



SCISSOR
switches



CP-08 NOTEBOOK COOLING PAD

For 15.6" notebook
Material: plastic
Weight: 165 g
Dimensions: 185 x 260 mm
7 different height adjustments
Angle: 15° - 45°


15.6"




CP-19 NOTEBOOK COOLING PAD

For screen sizes up to 15.6"
Fan size: 140 mm
Fan speed: 800-1000 RPM $\pm 10\%$
Airflow: 47.35 CFM
Noise level: 21 dBA
Dimensions (mm): 330 x 250 x 27
Blue LED Illumination


15.6"

 1 x FAN
140 mm

 LED
illumination




CP-12 NOTEBOOK COOLING PAD

For screen sizes up to 17.3"
Fan size: 130 mm
Fan speed: 80-1200 RPM
Airflow: 53 CFM
Noise level: 15 dBA
Angle adjustment: 5 positions (6.5° - 45°)
USB HUB with 2 ports
Dimensions (mm): 370 x 265 x 58-205
Blue LED Illumination


17.3"


 2 x FAN
130 mm

 LED
illumination




CP-101 NOTEBOOK COOLING PAD

For screen sizes up to 15.6"
Fan size: 2x 140 mm
Fan speed: 800 - 1000 RPM $\pm 10\%$
Airflow: 20 CFM
Noise level: 20 dBA
Angle adjustment: 5 positions (0°- 35°)
USB HUB with 2 ports
Dimensions (mm): 350 x 250 x 30~123
Blue LED Illumination



CP-32 NOTEBOOK COOLING PAD

For 10" - 17.3" notebook
Max. load: 5 kg
Material: aluminum and silicone
Weight: 920 g
Dimensions: 250 x 240 x 55 mm
Color: bluish-grey
Adjustable angle
Rotation: 360 degree



SP-203 2.0 SPEAKERS

Output Power: 2.2 W RMS
Frequency response: 100 Hz - 20 kHz
Signal-to-noise ratio: ≥ 80 dB
Drivers: 2 x 2"
Input power: USB 5 V DC
Dimensions (2 pcs.): 52 x 52 x 52
Connector: AUX 3.5 mm + USB for power
Cable length: 0.6 m
Material casing: plastic
Color: black or white



2.2 W
POWER
RMS


3.5 mm
audio interface

SP-182 2.1 SPEAKERS

Output Power: 11 W (5 W + 2x3 W RMS)
Frequency response: 150 Hz - 20 kHz
Signal-to-noise ratio: ≥ 45 dB
Subwoofer driver: 3"
Satellite drivers: 2 x 2"
Input power: USB 5 V DC
Subwoofer dimensions: 128 x 95 x 105 mm
Satellite dimensions: 64 x 78 x 55 mm
Connector: AUX 3.5 mm
+ USB for power supply
Material casing: plastic
Color: black



11W
POWER
RMS


3.5 mm
audio interface

BT-161 BLUETOOTH SPEAKER

BT version: V5.3
Chip: AC6965E
BT range: 10 m
Output power: 2 x 8W RMS (16W)
Driver size: 2 x 66 mm
Frequency response: 80 Hz - 20 kHz
Built-in battery: 2400 mAh / 3.7 V Li-Ion
Signal to noise ratio: ≥ 75 dB ± 3 dB
Charge time: 3 - 4h
Playing time: 3 - 4h
Product size: 145 x 80 x 126 mm
Material: ABS + Fabric + Silicone
Weight: 669 g
Color: Black
Function: U-disk / TF Card / AUX / BT / TWS



16W
POWER
RMS


BLUETOOTH
5.1


TWS
true wireless stereo

HS-201 MULTIMEDIA HEADSET

Headphone:
30 mm Dynamic type
Impedance: 32 Ω
Sensitivity: 105 dB ± 3 dB
Frequency: 20 Hz ~ 20 kHz
Max. Input power: 100 mW
Microphone:
Condenser type
Polar pattern: Omni-directional
Sensitivity: -58 dB ± 2 dB
Overall:
Weight: 125 g
Cord length: 1.8 m
Connector: 2x 3.5mm 3-pin audio jack
Operating voltage: 4.5 V
In-Line Volume control



2 x 3.5 mm
audio interface



HS-707 MULTIMEDIA USB HEADSET

USB 2.0 headset with adjustable microphone
Frequency range: 20 Hz-20 kHz
Speaker impedance: 32 Ω
Driver units: 30 mm
Sensitivity: 103 dB ± 3 dB
Microphone sensitivity: 56 dB ± 2 dB
Cable: PVC 1.8 m
Premium stereo sound quality
Interface: USB 2.0 plug
In-line volume control wheel
For music or online chat
Dimensions: 20 x 18 cm



USB
audio interface



EB-TWS18 BLUETOOTH EARBUDS

Chipset: JL 6983
 Bluetooth: 5.1
 Earphone Battery: 30 mAh
 Charging case: 200 mAh
 Music playing time: 4 h
 Standby time: 100 h
 Sensitivity: 93 dB $\pm$ 3 dB
 Impedance: 32 Ω
 Speaker: 13 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black or White




BLUETOOTH
 5.1


TWS
 true wireless stereo

EB-TWS08 BLUETOOTH EARBUDS

Chipset: Bluetrum 5636D
 Bluetooth: 5.4 + BR + EDR + BLE
 ANC Noise reduction
 Earphone Battery: 35 mAh
 Charging case: 400 mAh
 Music playing time: approx. 4 h
 Standby time: 100 h
 Sensitivity: 121 dB $\pm$ 1.5 dB
 Impedance: 32 Ω $\pm$ 15%
 Speaker: 10 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Touch screen display
 Available colors: Black or White





ANC


BLUETOOTH
 5.4 + BR + EDR + BLE


TWS
 true wireless stereo

PM-402 LAVALIER MICROPHONE

Transducer type: Electret Condenser
Polar pattern: Omnidirectional
Frequency range: 50 Hz - 18 kHz
Signal-to-noise ratio: 74 dB SPL
Sensitivity: -30 dB +/- 3 dB
Output Impedance: 1000 Ω or less
Interface: 3.5 mm (1/8 inch)
4-pole gold plated plug



H-204 4-PORT USB HUB

USB ports: 4
 Interface USB 2.0
 Transfer rate: 480 Mbps
 IC: SL2.2S
 Hot swap: Yes
 Material: ABS plastic
 Power supply: 5 V / 500 mA (Max.) over USB
 Compatible with: Windows 7 / 8 / 8.1 / 10 / 11
 Mac OS X, Linux OS
 Colors: Black or White
 Overcurrent protection on every port



H-207 7-PORT USB HUB

USB ports: 7
 Interface USB 2.0
 Transfer rate: 480 Mbps
 Material: Aluminum alloy
 Power supply: USB 5 V / 500 mA (Max.)
 Cable length: 50 cm
 Durability: over 10000 insertion
 Compatible with: Windows 7 / 8 / 8.1 / 10 / 11
 Mac OS X, Linux OS
 Dimensions (mm): 149 x 37 x 22
 Color: Silver
 Overcurrent protection on every port



H-606 3-PORT USB HUB

3-in-1 USB HUB
 1 x USB 3.0 Port
 2 x USB 2.0 Ports
 Plug-and-Play



H-404C

4-PORT USB TYPE-C HUB

4x USB A 3.0 port for connecting USB 3.0 / 2.0 devices
 1x integrated cable with USB Type-C connector
 Transfer speed: up to 5 Gbps
 LED indicator
 Color: Black
 Material: ABS plastic
 Powered through USB
 For USB-C laptops, compatible with Thunderbolt 3
 Plug and play
 Size: 110 x 30 x 10 mm
 Weight: 37 g




 4 x USB
 3.0


 TYPE-C
 interface

H-999

7in1 USB TYPE-C HUB

1 x HDMI Female (4K@30 Hz video output)
 1 x Type-C Female (100 W PD3.0 Charging)
 1 x Type-C Female (480 Mbps Data Transfer)
 1 x USB 3.0 Female (5 Gbps Data Transfer)
 1 x USB 2.0 Female (480 Mbps Data Transfer)
 1 x Micro SD card slot
 1 x SD card slot
 Apply to USB Type-C devices
 Plug and play, Hot swap




 1 x USB
 2.0


 1 x USB
 3.0


 TYPE-C
 interface

 Micro
SD

 SD

 SD
GB

 SD
XC




CR-01 CARD READER

Interface: USB 3.0
Transfer rate: up to 5 Gbps
Slot 1: micro SD
Slot 2: SD / SDHC / SDXC
Plug & Play



CR-02 SMART CARD READER

Support Card: ATM/CAC/ID/IC/SIS/Credit Cards
Supported Card Types:
5V, 3V and 1.8V Smart Cards ISO 7816 Class A, B and C
Standard: ISO 7816 & EMV Level 1 & T=0 and T=1 Protocols
Host Interface: USB 2.0 CCID1 (also compliant with USB 1.1)
Smart Card Interface Speed: 420 Kbps (when supported by card)
Power Supply: Bus Powered
PC/SC Driver Support:
Win 10, 11, MAC OS 10.15 Above, Linux Red Hat 9,
Ubuntu 8.04, Fedora Core 9 & above



A-901 UNIVERSAL NOTEBOOK ADAPTER

Power: 90 W
Automatic selection of a required voltage
Input: 100 V - 240 V / 1.8 A (Max.)
Output voltage & current:
15 V - 19.5 V / 4.6 A - 6 A
12 compatible terminal connectors
Protection against overload,
short circuit and overvoltage
Compatible with: HP, Dell, Acer, Compaq,
Lenovo, Fujitsu, Toshiba, Asus, IBM,
Samsung, Sony, Delta ...



**90W
POWER**

LN-45W LENOVO NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5 A
Efficiency: over 82%
Output: DC 20 V, 2.25 A, 45 W
DC Connector: Rectangle with center pin
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible brand: Lenovo



**45W
POWER**

LN-45W2 LENOVO NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5 A
Efficiency: over 82%
Output: DC 20 V, 2.25 A, 45 W
DC Connector: 4.0 mm x 1.70 mm
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible brand: Lenovo



**45W
POWER**

HP-65W HP NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5 A
Efficiency: over 82%
Output: DC 19.5 V, 3.33 A, 65 W
DC Connector size: 4.5 mm x 3.0 mm - With center pin
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible Brand: HP



65W
POWER

AS-65W ASUS NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5A
Efficiency: over 86%
Output: DC 19 V, 3.42 A, 65 W
DC Connector: 4.0 mm x 1.35mm
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible Brand: Asus



65W
POWER

AR-65W ACER NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5 A
Efficiency: over 86%
Output: DC 19 V, 3.42 A, 65 W
DC Connector size: 5.5 mm x 1.7 mm
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible Brand: Acer



65W
POWER

DL-65W DELL NOTEBOOK ADAPTER

Input Voltage: AC 100 ~ 240V
 Input Current: 1.5A
 Efficiency: over 82%
 Output: 19.5VDC, 3.34A, 65W
 DC Connector size: 4.5 mm x 3.0 mm with center pin
 Dimensions (mm): 117 x 50 x 32
 High efficiency and low power consumption
 Overcharge protection
 Stabilized consumption output,
 low oscillation and low interference
 Compatible Brand: Dell



65W
POWER

TC-65W TYPE-C UNIVERSAL NOTEBOOK ADAPTER

Input: AC 100-240 V 50/60 Hz 1.5 A
 Output: 20V 3.25A / 15V 3A / 12V 3A / 9V 3A / 5V 3A
 Power: 65 W Max.
 Dimensions: 5 x 5cm (without power connector)
 Weight: 150 g
 Automatic voltage adjustment (up to 65W)
 High energy efficiency
 Protected against short circuits
 Protection against voltage overloads
 Fireproof casing for protection against overheating
 Recommended for indoor use



65W
POWER


TYPE-C
interface

TA-23 UNIVERSAL TRAVEL ADAPTER

AC Power rating: 110-240 V
 Max. Current: 6 A
 Max. Power: 66 W (110 V), 1380 W (240 V)
 USB Power output 1: 5V 2.1A
 USB Power output 2: 5V 1.0A
 Built-in short circuit fuse 6A
 Color: Black
 LED power indicator
 Pin Type: 2 Pin
 Grounding: No
 Material: Polycarbonate
 Dimensions: 61 x 45 x 56 mm
 Weight: 97 mm




2 x USB

CHARGERS & HOLDERS

Always powered. Always ready. Fast charging and secure holding for all your devices, at home or on the go. Plug in. Stay connected.



HC-693

DUAL USB-A / TYPE-C QUICK CHARGER 20 W

Input: AC 110-240V, 50/60Hz, 0.5A

Output (USB-A):

DC 5.0V / 3.0A / 15.0W,
DC 9.0V / 2.0A / 18.0W,
DC 12.0V / 1.5A / 18.0W

Output (USB-C):

DC 5.0V / 3.0A / 15.0W,
DC 9.0V / 2.22A / 20W,
DC 12.0V / 1.67A / 20.0W

Total Output (USB-A + USB-C):

DC 5.0V / 3.0A / 15.0W



QC 3.0 PD
fast charge

18W

POWER



2 x USB

TYPE-C
interface

HC-30

USB-C GAN CHARGER 30W

Input: AC 110-240V, 50/60Hz, 1A

Output (USB-C) QC/PD:

DC 5V / 3A / 15W
DC 9V / 3A / 27W
DC 12V / 2.5A / 30W
DC 15V / 2A / 30W
DC 20V / 1.5A / 30W

Power: 30W Max.

USB ports: 1 x USB Type-C

Dimensions: 35 x 32 x 33 mm

Weight: approx. 50 g

Color: White



QC 3.0 PD
fast charge

30W

POWER

TYPE-C
interface

HC-45

USB A+C GAN CHARGER 45W

Input: AC 110-240V, 50/60Hz, 1.2A

Output 1 (USB-C) QC/PD:

DC 5V / 3A / 15W
DC 9V / 3A / 27W
DC 12V / 3A / 36W
DC 15V / 3A / 45W
DC 20V / 2.25A / 45W

Output 2 (USB-A) QC/PD:

DC 5V / 3A / 15W
DC 9V / 3A / 27W
DC 12V / 2.25A / 27W
DC 20V / 1.35A / 27W

Combined output C+A QC/PD:

2 x DC 5V / 3A / 15W

Power: 45W Max.

USB ports: 1 x USB Type-C

1 x USB A

Dimensions: 50 x 29.5 x 71.6 mm

Weight: approx. 77.5 g

Color: White



QC 3.0 PD
fast charge

45W

POWER



2 x USB

TYPE A+C
interface

HC1-30

DUAL USB-A / TYPE-C QUICK CHARGER 30 W

USB Charger 30W

Input: AC 110-240V, 50/60Hz, 0.5A

Output USB-C:

5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A PD30W

Output USB-A:

5V/3A, 9V/2A, 12V/1.5A QC18W

Output USB-C+USB-A: 5V/3A



 **QC 3.0 PD** **30W**  **POWER** **2 x USB** **TYPE A+C**
fast charge interface

HC1-45

DUAL USB-A / TYPE-C QUICK CHARGER 45 W

USB Charger 45W

Input: AC 110-240V, 50-60Hz, 1.6A

Output USB-C: DC 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W) Max

Output USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W) Max

Output USB C+USB A: 15W Max



 **QC 3.0 PD** **45W**  **POWER** **2 x USB** **TYPE A+C**
fast charge interface

HC1-65

TRIPLE USB-A / 2 x TYPE-C QUICK CHARGER 65 W

Input: AC 110-240V, AC 50/60Hz, 1.6A Max

USB-C1/2 output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

USB-A Output: DC 5V/3A, 9V/2A, 12V/1.5A (18W) Max

USB-C1+C2 Output: PD45W+20W Max

USB-C1+A Output: PD45W+18W Max

USB-C2+A: 5V3A 15W Max

USB-C1+(USB-C2+USB-A)

Output: PD45W+15W Max

PPS:5-11V/4.5A



 **QC 3.0 PD** **65W**  **POWER** **3 x USB** **TYPE A+2xC**
fast charge interface

HC1-100

TRIPLE USB-A / 2 x TYPE-C QUICK CHARGER 100 W

Input: AC110-240V, AC 50/60Hz 1.6A Max
 USB-C1/2 output: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
 20V/5A PPS 3.3-21V/3A
 USB-A Output: DC 5V/3A, 9V/2A, 12V/1.5A (18W)
 Max
 USB-C1+C2 Output: 5V/3A 15W Max
 USB-C1+A Output: 5V/3A 15W Max
 USB-C2+A: 5V/3A 15W Max
 USB-C1+(USB-C2+USB-A)
 Output: 5V/3A 15W Max



 **QC 3.0 PD**
fast charge

100W
POWER

 **3 x USB**

TYPE A+2xC
interface

CC-038

DUAL USB-A / TYPE-C CAR QUICK CHARGER 20 W

Input Voltage: DC 12 / 24V
 Output USB A: DC 5V / 3A, 9V / 2A, 12V / 1.5A
 Output USB C: DC 5V / 3A, 9V / 2.22A, 12V / 1.67A
 Power delivery: 38W



38W
POWER

 **2 x USB**

 **TYPE-C**
interface

PS-11

WINDSHIELD VACUUM HOLDER

Car holder for smartphones / MP3 / MP4 / GPS
 For screen sizes: 3,5" - 6"
 Rotation: 360°
 Material: ABS plastic
 Color: Black

Washable sticky gel suction cup with lock clip firmly
 attaches to windshield or dashboard.

A cushioned stretchable holder holds devices securely
 without scratching or damaging them.



 **3.5" - 6"**

PS-09 FOLDING DESKTOP PHONE/TABLET STAND

Adjustable non-slip silicone plate with 145° adjustment.
The elastic contraction will support your device.
Aluminum support bar with smooth edges and adjustable length.
Support bar adjustment - up to 90°.
Heavy base with super strong bearing capacity and non-slip pads can withstand all mobile phones or even tablets.
Double fold - You can simply fold it after use, put it in a handbag and carry it with you.
Dimensions (mm): 66 x 111 x 162
Weight (g): 140



4" - 10"

PSM-201 CAR PHONE MAGNETIC HOLDER

Rotation: 360°
Easy to install and take off
Magnetic mount holder used on a car air vent
Can be attached to any vehicle with unlimited viewing angles



HDMI 1.4 2-PORT SPLITTER V2

Dimenzije (mm): 60x49x12

Brzina prijenosa: 10.2 Gbps

Podrška 8/10/12 bitnu boju, 3D, DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD

Frekvencijski raspon video pojačala: 340MHz

Raspon pojedinačnog linka: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz

Tip ulaznog konektora: 1 x HDMI F

Tip izlaznog konektora: 2 x HDMI F

Potrošnja struje: 5 W (Max)

Podržani video formati: HDMI 480i/576i/480P/576P/720P/1080i/1080P/4K,

VGA sukladno 640x480/800x600/1024x767/1280x1024/1600x1200/

1920x1200/3840x2160

Punjač: Da



HDMI 1.4 4-PORT SPLITTER V2

Dimenzije (mm): 62x52x12

Brzina prijenosa: 10.2 Gbps

Podrška 8/10/12 bitnu boju, 3D, DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD

Frekvencijski raspon video pojačala: 340MHz

Raspon pojedinačnog linka: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz

Tip ulaznog konektora: 1 x HDMI F

Tip izlaznog konektora: 4 x HDMI F

Potrošnja struje: 5 W (Max)

Podržani video formati: HDMI 480i/576i/480P/576P/720P/1080i/1080P/4K,

VGA sukladno 640x480/800x600/1024x767/1280x1024/1600x1200/

1920x1200/3840x2160

Punjač: Da



HDMI 1.4 8-PORT SPLITTER V2

Dimenzije (mm): 277x111x25

Brzina prijenosa: 10.2 Gbps

Podrška 8/10/12 bitnu boju, 3D, DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD

Frekvencijski raspon video pojačala: 340MHz

Raspon pojedinačnog linka: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz

Tip ulaznog konektora: 1 x HDMI F

Tip izlaznog konektora: 8 x HDMI F

Potrošnja struje: 10 W (Max)

Podržani video formati: HDMI 480i/576i/480P/576P/720P/1080i/1080P/4K,

VGA sukladno 640x480/800x600/1024x767/1280x1024/1600x1200/

1920x1200/3840x2160

Punjač: Da



HDMI 1.4 16-PORT SPLITTER V2

Dimenzije (mm): 480x106x27

Brzina prijenosa: 10.2 Gbps

Podrška 8/10/12 bitnu boju, 3D, DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD

Frekvencijski raspon video pojačala: 340MHz

Raspon pojedinačnog linka: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz

Tip ulaznog konektora: 1 x HDMI F

Tip izlaznog konektora: 16 x HDMI F

Potrošnja struje: 24 W (Max)


Podržani video formati: HDMI 480i/576i/480P/576P/720P/1080i/1080P/4K,

VGA sukladno 640x480/800x600/1024x767/1280x1024/1600x1200/

1920x1200/3840x2160

Punjač: Da





CABLES ADAPTERS & CONNECTORS

No mess. Just connection. Reliable, fast, and easy to use — SBOX cables and adapters keep everything working smoothly. Stable performance. Every time.

HDMI 1.4 M/M

Resolution: 3840 × 2160 (4K) @ 30 Hz
Ethernet
3D Support
Pins: 19 + 1
Connectors: Gold plated
Available Lengths: 1.5 m / 3 m / 5 m / 10 m /
15 m / 20 m / 25 m



5 m 10 m 25 m

HDMI 1.4 M/M 90°

Resolution: 3840 × 2160 (4K) @ 30 Hz
90° angle
Ethernet
3D Support
Pins: 19+1
Connectors: Gold plated
Cable length: 1.5 m



1.5 m

HDMI 2.0 M/M

Resolution: 3840 × 2160 (4K) @ 60 Hz
Bandwidth: 18 Gbps
3D over HDMI, Aspect Ratio: 21:9
CEC: Yes, HDR: Yes
Diameter: 6 mm
AWG: 30
Connectors: Gold plated
Available Lengths: 1.5 m / 5 m / 10 m



1.5 m 3 m 5 m 10 m 15 m 20 m

HDMI 2.1 8K M/M

Resolution: 7680 × 4320 (8K) @ 60 Hz
Bandwidth: 48 Gbps
Connectors: Gold plated
CEC: Yes, HDR: Yes
AWG: 29+30
Cable length: 2 m



2 m 3 m

HDMI - DP M/M

Resolution: 3840 × 2160 (4K) @ 30 Hz
Bandwidth: 5 Gbps
Diameter: 7.3 mm
AWG: 30
Connectors: Gold plated
Cable length: 2 m



2 m

HDMI - DVI M/M

Resolution: 2560 × 1600 @ 60 Hz /
1920 × 1080 @ 120 Hz
AWG: 30
Diameter: 6.0 mm
Connectors: Gold plated
Available Lengths: 2 m / 15 m



2 m

HDMI - MICRO HDMI F/M

HDMI F to MICRO HDMI M adapter
Connectors: Gold plated



1080p
FULL HD
@ 120 Hz

GOLD
plated

1 pc

TYPE C - HDMI M/F

USB Type-C M. to HDMI F. Adapter
Input: USB 3.1 Type-C, 8.3mm x 2.6mm, 24-pin
Output: HDMI F.
Data transfer: up to 10 Gbps
Video support: 4K @ 30 Hz
Compatibility: Windows / Mac OS / Linux
Cable length: 15.5 cm



4K
ULTRA HD
@ 30 Hz

GOLD
plated

15.5
cm

HDMI - VGA M/F

Adapter HDMI M to VGA F
Input DDC Signal: 5 V p-p (TTL)
WUXGA 1920x1200 @ 60Hz, 1920x1080 @ 60Hz
Analog output RGB to VGA triple 9-bit DAC
up to 200MHz pixel
Analog video output to a 1080p with 10-bit DAC.
Frequency range: 50/60 Hz
Scope of video amplification: 1.65 Gbps / 165MHz
Supports HDCP 1.0 / 1.1 / 1.2
Color: Black
Connectors: Gold plated
Cable length: 20 cm



1080p
FULL HD
@ 60 Hz

GOLD
plated

20
cm

HDMI - VGA M/F + AUDIO

Adapter HDMI M to VGA F + 3.5 mm Audio
Input DDC Signal: 5 V p-p (TTL)
WUXGA 1920x1200 @ 60Hz, 1920x1080 @ 60Hz
Analog output RGB to VGA triple 9-bit DAC
up to 200 MHz pixel
Audio encoder which supports 2-channel
IIS / S / PDIF audio output
Supports analog video output to a 1080p
with 10-bit DAC.
Frequency range: 50/60 Hz
Scope of video amplification: 1.65 Gbps / 165MHz
Supports HDCP 1.0 / 1.1 / 1.2
Color: White
Cable length: 20 cm



1080p
FULL HD
@ 60 Hz

GOLD
plated

20
cm

HDMI - HDMI F/F

HDMI Adapter / Coupler HDMI F to HDMI F
Connectors: Gold plated



1080p
FULL HD
@ 120 Hz

GOLD
plated

HDMI - DVI D F/M

HDMI F to DVI D (24+1 pin) M Adapter
Dual-link
Connectors: Gold plated



1080p
FULL HD
@ 120 Hz

GOLD
plated

1 pc

DVI I - VGA M/F

DVI I (24+5 pin) M - VGA (15 pin) F Adapter
Dual-link
Connectors: Gold plated



1080p
FULLHD
@ 120 Hz
GOLD
plated

1 pc

DISPLAY PORT - DVI M/M

Display Port M to DVI 24+1 M
Resolutions: 1920 x 1080 @ 60 Hz
Connectors: Gold plated
Cable length: 2 m



1080p
FULLHD
@ 60 Hz
GOLD
plated

2 m

DISPLAY PORT M/M

Resolution: 3840 x 2160 @ 30 Hz /
2560 x 1600 @ 60 Hz
Connectors: Gold plated
Cable length: 2 m



4K
ULTRAHD
@ 30 Hz
GOLD
plated

2 m

SVGA - SVGA HD - 15 pin M/M

Double shielded
AWG: 26
Diameter: 8 mm
Connectors: Nickel
Available lengths: 2 m / 5 m / 10 m / 15 m / 20 m



2 m

TOSLINK OPTICAL CABLE M/M

Connectors: Toslink standards M - Toslink standards M
Outside diameter: 4 mm
Connectors: Gold plated
Protective caps
Color: Black
Cable length: 1.5 m



1.5 m

3.5 mm - TYPE C ADAPTER F/M

Color: White
Cable length: 12 cm



12 cm

USB A - B M/M

USB 2.0 cable A - B M/M
Transfer rate: 480 Mbps
Connectors: Nickel
Available Lengths: 2 m / 3 m / 5 m



2 m 3 m 5 m

USB EXTENSION A - A F/M

USB Extension 2.0 cable A - A M/F
Transfer rate: 480 Mbps
Connectors: Nickel
Available Lengths: 2 m / 3 m / 5 m



2 m 5 m

USB A - MINI USB M/M

USB 2.0 cable A - Mini USB 5pin M / M
Transfer rate: 480 Mbps
Connectors: Nickel
Cable length: 2 m



2 m

USB TYPE-C - TYPE-C M/M

Outside diameter: 3.2 mm
Max. current: 3 A @ 5 V
For charging / data transfer
PVC plug
Length: 1 m / 1.5 m



1 m 1.5 m

USB A - TYPE-C 3.0 M/M

USB 3.0 A M to USB Type C M
Transfer rate: up to 5 Gbps
Color: Black
Connectors: Nickel
Available lengths: 1 m / 1.5 m



SS
USB
3.0

1 m 1.5 m

USB A - TYPE-C 3.0 F/M

Connectors: Nickel
Cable length: 20 cm



SS
USB
3.0

20
cm

USB TYPE-C - TYPE-C M/M 60W

USB 2.0
Braided cable: Yes
Color: Black or Blue
Transfer speed: 480 Mbps
Outer cable diameter (mm): 3.5
Max current: 3 A
Cable length: 1 m, (3m only black)



BRAIDED
cable

1 m

USB A - 8-PIN M/M

USB 2.0 A M to 8-pin Lightning M
Compatibility:
iPhone 5, 5c, 5s, 5e, 6, 6 Plus, 6s, 6s Plus, 7, 7 Plus, 8, 8 Plus, 9, 9 Plus, X, iPad mini, mini 2, Air, Air 2, mini 3, mini 4, Pro (9.7-inch), Pro (12.9-inch), iPod nano 7th Generation, touch 5th Gen. 32GB/64GB, touch 5th Gen 16GB, touch 6th Gen.
Transfer rate: up to 480 Mbps
Colors: Gold, Grey, Silver, Rose Gold & Black
Connectors: Metal, Nickel plated
Length: 1.5 m



METAL
connectors



BRAIDED
cable

1.5 m

USB TYPE-C - TYPE-C M/M 100W

Braided cable: Yes
Color: Black/Grey
Transfer speed: 10 Gbps
Wire thickness: 0.08
Outer cable diameter (mm): 5
Max. current: 3 A
Cable length: 1.5 m



1.5 m

USB TYPE-C - TYPE-C M/M 240W

USB 3.0 Type C M to USB Type C M
Transfer rate: up to 80 Gbps
Max Resolution: 16K Ultra HD
Color: Black/Grey
Connectors: Nickel
Cable length: 1.2 m




16K
ULTRA HD
@ 60 Hz

SS
USB
3.0

1 m 1.5 m

CABLE Type-C- Type-C Lanyard

USB 2.0
Transfer speed: 480 Mbps
Power (W): 60W
Outer cable diameter (mm): 5.5
Available colors: Black or White



USB A - 8-PIN M/M

USB 2.0 A M - 8-pin M
USB Sync / Charging, For iPhone 5
Connectors: Nickel
Length: 1 m



1m

TYPE-C - 8-PIN M/M

TYPE-C 2.0 A M - 8-pin M
USB Sync / Charging
Connectors: Nickel
Length: 1 m



1m

USB A - 8-PIN/TYPE-C/ MICRO USB 2.4 A M/M

Transfer speed: up to 480 Mbps
Charge only
Connectors: Metal, Nickel plated
Color: Black
Cable length: 1 m



1m

8-PIN - TYPE-C M/F


Lightning port to Type-C
Connectors: Nickel
Color: White



1pc

UTP CAT-5E INLINE COUPLER

UTP CAT-5e RJ-45 F to RJ-45 F
Adapter / Coupler
Color: White



1pc

C14 PC POWER CABLE 90°

PC to Schuko power cable, 220 V / 50 - 60 Hz
3 x 28 x 0.15 Cu, OD: 5 mm
Cross section: 0.5 mm²
Max Current: 10A
Length: 2 m



2m

C7 POWER EURO CABLE

220V Power Euro cable 220V / 50 - 60 Hz
AWG: 18
H03VVH2-F 2 x 0.5 Cu
Cross section: 0.5 mm²
Max Current: 10A
Length: 2 m



2 m

C5 SCHUKO POWER CABLE

220V Schuko power Euro cable 220V / 50 - 60 Hz
H05VV-F 3 x 0.75 Cu
OD: 6.5 mm
Cross section: 0.5 mm²
Max Current: 10A
Length: 2 m



2 m

C14 PC POWER CABLE

PC to Schuko power cable, 220 V / 50 - 60 Hz
3 x 28 x 0.15 Cu, OD: 6 mm
Cross section: 0.5 mm²
Max Current: 10A
Length: 2 m



2 m

C13-C14 UPS POWER CABLE

220V Schuko power Euro cable 220V / 50 - 60 Hz
3 x 28 x 0.15 Cu, OD: 6 mm
Cross section: 0.5 mm²
Max Current: 10A
Length: 2 m



2 m

UTP CAT-5E GREY

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Grey
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 7.5 m / 10 m / 15 m / 20 m / 30 m



0.5 m 3 m 5 m 7.5 m 10 m 15 m 20 m

UTP CAT-5E BLUE

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Blue
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 10 m / 20 m



0.5 m 2 m 5 m

UTP CAT-5E RED

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Red
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 10 m / 20 m



2 m 5 m

UTP CAT-5E YELLOW

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Yellow
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 10 m / 20 m



0.5 m 2 m

UTP CAT-6

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7 x 0.16CCA
26 AWG, CAT-6, Color: Grey
Available Lengths: 2 m / 3 m / 5 m / 10 m / 15 m / 20 m / 30 m



0.5 m 1 m 2 m 3 m 5 m 10 m 15 m 20 m 30 m

UTP CAT-6 305 m

UTP (Unshielded Twisted Pair) LAN cable CAT-6
26 AWG
Length: 305 m



305 m

CONNECTOR RJ-45 (UTP)

RJ-45 / 8P8C
CAT-5e



1 pc

CONNECTOR RJ-11 6P4C

RJ-11 / 6P4C
Phone connector



1 pc

RF M/F CABLE

RF M/F Cable
HQ Coaxial RF TV cable
Impedance: 75 Ω
Length: 2 m / 5 m / 10 m



2 m 5 m 10 m

CONNECTOR F 1 PC.

Type: Coaxial Connector
Male Connector
Shape: Strip
Connector Type: F Connector
Length: 18 mm
Material: All Zinc



1 pc

CONNECTOR F 5 PCS.

Type: Coaxial Connector
Male Connector
Shape: Strip
Connector Type: F Connector
Length: 18 mm
Material: All Zinc



5 pc

CONNECTOR F 10 PCS.

Type: Coaxial Connector
Male Connector
Shape: Strip
Connector Type: F Connector
Length: 18 mm
Material: All Zinc



10 pc

ADAPTER F - RF M

Type: Coaxial Connector
Interface Type: PAL
Shape: Strip
Impedance: 75 Ω
Material: All Zinc



1 pc

ADAPTER F - F

Type: Coaxial Connector
Interface Type: PAL
Shape: Strip
Impedance: 75 Ω
Material: All Zinc



1 pc

CONNECTOR RF ANGLE F

Type: Coaxial Female Connector
Interface Type: PAL
Connector dimensions: 9.5 mm
Shape: Right
Impedance: 75 Ω
Material: All Zinc



1 pc

CONNECTOR RF ANGLE M

Type: Coaxial Male Connector
Interface Type: PAL
Connector dimensions: 9.5 mm
Shape: Right
Impedance: 75 Ω
Material: All Zinc



1 pc

CONNECTOR RF ANGLE M+F

Type: Coaxial Male Connector
Interface Type: PAL
Connector dimensions: 9.5 mm
Shape: Right
Impedance: 75 Ω
Material: All Zinc



2 pc



SBOX

www.sbox.biz